ERADREAM

Edition 2026 · v2

Product Catalog 2026

Ultrasonic pest repellers, rechargeable hand warmers and heated comfort products. Factory direct, from stock or under your brand.















Home Guard

Ultrasonic pest & rodent repellers

12 MODELS · P. 4

Personal Comfort

Rechargeable hand warmers & heated eye masks

5 MODELS · P. 17

Wearable Comfort

Cordless heated belts

1 MODEL · P. 23

Factory direct · Wholesale · OEM / private label

livinghse.com · hello@livinghse.com

ABOUT US

A factory you can work with directly.

3,000 m²	**60** people	**10,000** units/day	**3,000** units
own factory floor in Guangdong	in assembly, testing and packing	peak output, 6,000 on a normal day	kept in stock per repeller model

ERADREAM is a Shenzhen brand with its own factory in Guangdong. We design and build ultrasonic pest repellers, rechargeable hand warmers, heated eye masks and heated belts, and supply importers, retailers, distributors and online sellers in Europe and North America.

Every product starts as a control board on our own line, goes through assembly and testing, and is packed in neutral or branded packaging in the same building. That is how we keep repeller models in stock and still build your private label in about twelve days.

Factory, not a trader

Control boards, assembly, testing and packing happen under one roof. You deal directly with the people who build your order.

Stock for fast reorders

Repeller models are kept in stock in neutral packaging with an English manual. No minimum order for stock items.

Your brand from 500 units

Logo and your own manual from 500 units per repeller model; housing colour and printed retail box from 2,000 units.

Plugs for your market

Plug-in repellers ship with US, EU or UK plugs, and AU on selected models, confirmed per order.







CONTENTS

18 models in 3 product lines

01 Home Guard — 4

Ultrasonic pest & rodent repellers

SDH-058	3-Mode Ultrasonic Pest Repeller	5
SDH-057	Compact Repeller with Night Light	6
SDH-047	Triangular Dual-Speaker Rodent Repeller	7
SDH-046	4-Mode Repeller with LED Flash & Night Light	8
SDH-045	Dual-Speaker Repeller with Night Light	9
SDH-051	Sound & Light Repeller, 4 Modes + Smart Strobe	10
SDH-044	Compact Car Rodent Repeller	11
SDH-043	Car Rodent Repeller, Ultrasonic + LED	12
SDH-041	High-Power 360° Rodent Repeller	13
SDH-053	5-Mode Dual-Speaker Repeller	14
SDH-A08	Compact Plug-in Repeller	15
SDH-042	Solar Animal Repeller, PIR + Strobe	16

02 Personal Comfort — 17

Rechargeable hand warmers & heated eye masks

HW6	Split Magnetic Hand Warmer & Power Bank	18
HW7	Rugby Magnetic Rechargeable Hand Warmer	19
HW8	Custom Shape & Print Hand Warmer	20
E28	USB Heated Eye Mask with Timer	21
OP10	Cordless Heated Eye Mask	22

03 Wearable Comfort — 23

Cordless heated belts

OP7	Cordless Heated Waist Belt with Vibration	24

+ Quality & certifications — 25

Testing steps and certification overview by model

+ OEM & private label — 26

Three ways to buy, customization options, how an order works

01

Home Guard

Ultrasonic pest & rodent repellers

Plug-in, floor-standing, car and solar repellers for homes, shops, warehouses, vehicles and gardens. Twelve models from an entry-price multi-pack unit to a 360° warehouse repeller, most of them in stock and all of them ready for your logo, manual and retail box.



RANGE OVERVIEW

MODEL	TYPE	POWER	COVERAGE	MODES	STROBE	NIGHT LIGHT	PAGE
SDH-058	Plug-in	AC	80–120 m²	3	–	●	5
SDH-057	Plug-in	AC	80–100 m²	Auto	–	●	6
SDH-047	Plug-in	AC	≈120 m²	3	–	–	7
SDH-046	Plug-in	AC	80–120 m²	4	●	●	8
SDH-045	Plug-in	AC	80–120 m²	3	–	●	9
SDH-051	Plug-in / battery	AC / 1,800 mAh	≈120 m²	4	●	–	10
SDH-044	Car	AA · 12 V · USB	Engine bay	1	●	–	11
SDH-043	Car	AA · 12 V · USB	Engine bay	1	●	–	12
SDH-041	Floor	DC 9 V	≈300 m²	4	●	–	13
SDH-053	Plug-in	AC	≤120 m²	5	●	–	14
SDH-A08	Plug-in	AC	≈28 m²	1	–	–	15
SDH-042	Outdoor	Solar	8 m · 110°	Day / night	●	–	16

Availability	**In stock, no MOQ**
Your logo + manual	**From 500 units**
Colour + retail box	**From 2,000 units**
Lead time	**≈12 days after approval**

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-058

3-Mode Ultrasonic Pest Repeller

A mid-range plug-in with a visible mode panel and three colourways for shelf variety.



3
modes, one button

80–120
m² open room

19–65
kHz + 200 Hz

3
colourways

01 Three programs, one button

Home Guard 19–25 kHz fixed, Rodent 25–65 kHz variable, and a Powerful Cycle mode with an audible 200 Hz segment for unoccupied rooms.

02 You can see the active mode

The current mode icon stays lit on the front panel, and the red, blue or green side lights show the unit is working.

03 Self-test at start-up

The unit runs a self-check when plugged in. Short press to switch modes, long press 3 s for the light.

04 Built for shelf variety

Black/red, white/blue and white/black versions from the same mould, so one listing can carry three colour options.

TECHNICAL DATA

Input	AC 90–240 V, 50/60 Hz
Rated power	3–5 W
Frequency	19–25 kHz · 25–65 kHz · 200 Hz cycle
Coverage	≈80–120 m², open room
Operating temp.	−20 to 40 °C

ORDERING

Plugs	US / EU / UK
Colours	Black/red · White/blue · White/black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE FCC EPA Est. 97987-CHN-1

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-057

Compact Repeller with Night Light

Our entry-price plug-in, sized and priced for multi-packs and promotions.



≤3
W power draw

80–100
m² open room

22–65
kHz auto sweep

75
g per unit

01 Made for multi-packs

At 88 × 60 × 52 mm and about 75 g, it packs easily into 2-, 4- and 6-packs at the lowest unit cost in the range.

02 Automatic frequency sweep

Output sweeps continuously between 22 and 65 kHz, so the sound keeps changing instead of staying on one tone.

03 Lights off, still on guard

A side button turns the dual blue night lights off. The ultrasound keeps working.

04 Three plug versions

US, EU and UK versions share the same housing, so one design covers most markets.

TECHNICAL DATA

Frequency	22–65 kHz, automatic sweep
Power	≤3 W
Coverage	≈80–100 m², open room
Night light	Dual blue LEDs, separate switch
Size / weight	88 × 60 × 52 mm · ≈75 g

ORDERING

Plugs	US / EU / UK
Colours	White
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE FCC SDoC

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-047

Triangular Dual-Speaker Rodent Repeller

A distinctive triangular design with two speakers, already proven in marketplace 4-packs.



2
independent speakers

3
modes

≈120
m² open room

≤5
W power draw

01 Two independent speakers

Two speakers on the angled faces send sound out in two directions from one socket.

02 Colour-coded breathing light

Green, yellow and red light strips show modes 1, 2 and 3. Long press turns the light off while the repeller keeps working.

03 Raised 3D icon panel

The glossy triangular top with lit pest icons gives the unit a premium look on shelf and in product photos.

04 Ready for marketplace 4-packs

EU version packed 4 units per box, 45 boxes (180 units) per 50 × 38.5 × 46 cm carton, about 12.7 kg.

TECHNICAL DATA

Input	AC 90–250 V, 50–60 Hz
Power	≤5 W
Frequency	19–65 kHz, Mode 3 incl. 200 Hz
Coverage	≈120 m², open room
Installation	15–50 cm above the floor

ORDERING

Plugs	US / EU / UK
Colours	White · Black
Packing (EU)	4/box · 180/carton
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC, LVD) · FCC SDoC · RoHS 2.0 · EPA Est. 97987-CHN-1

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-046

4-Mode Repeller with LED Flash & Night Light

The upgraded version of SDH-045: the same quiet modes plus an ultrasound-and-flash night mode.



4
modes incl. LED flash

80–120
m² open space

15
lm blue night light

≤5
W power draw

01 Four modes on one button

1 Mosquito 19–25 kHz, 2 Rodent 25–65 kHz, both silent to people; 3 cycles 19–25 kHz, 25–65 kHz and 200 Hz; 4 adds a continuous LED flash.

02 Ultrasound + LED flash at night

Mode 4 combines the frequency cycle with a bright LED flash for rooms that are empty at night, such as stores and storerooms.

03 Independent night light

Long press 3 s to switch the 15-lumen blue night light on or off without changing the repeller mode.

04 Plug in and forget

Starts automatically in Mode 1 when plugged in and returns to it after a power cut.

TECHNICAL DATA

Input	AC 90–240 V, 50/60 Hz
Power	≤5 W
Frequency	19–65 kHz + 200 Hz
Coverage	≈80–120 m², barrier-free (1 unit per 30 m² recommended)
Installation	30–50 cm above the floor
Operating temp.	−20 to 40 °C

ORDERING

Plugs	US / EU / UK
Colours	White · Black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC, LVD) RoHS 2.0

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-045

Dual-Speaker Repeller with Night Light

A quiet two-speaker plug-in for bedrooms and living areas, sharing its platform with SDH-046.



2
speakers, 360°

3
modes

80–120
m² open space

70
g per unit

01 Two-speaker sound matrix

Two high-power speakers send sound in two directions, reaching more of the corners where pests hide.

02 Night light and repeller in one

A 15-lumen blue night light with its own control. The repeller draws less than 5 W.

03 One button, three modes

Daily protection (Mode 1 or 2), temporary rodent control at night (Mode 2), and a frequency cycle for when you are away (Mode 3).

04 Small and light

86 × 60 × 47 mm and about 70 g, in white or black, for single units or multi-packs.

TECHNICAL DATA

Input	AC 90–240 V, 50/60 Hz
Power	≤5 W
Frequency	19–65 kHz + 200 Hz (Mode 3)
Coverage	≈80–120 m², open space
Size / weight	86 × 60 × 47 mm · ≈70 g
Operating temp.	−20 to 40 °C

ORDERING

Plugs	US / EU / UK
Colours	White · Black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC, LVD) | RoHS 2.0

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-051

Sound & Light Repeller, 4 Modes + Smart Strobe

Our own-mould flagship with four speakers, a motion-activated strobe and a rechargeable edition.



4
sound sources

12
LED strobe lights

≈120
m² coverage

40
h runtime, battery ed.

01 Four sound sources

Three ultrasonic speakers plus one high-frequency aluminium transducer, arranged around the housing.

02 Smart strobe, only when needed

12 high-power LEDs with an infrared sensor: the strobe only fires when movement is detected at night, and turns on or off with one button.

03 Four professional modes

TEST (steady 65 kHz), ULTRA (automatic 12–25 kHz cycle), TRANS (powerful 24.7–12 kHz sweep) and DUO (sweep plus strobe, for empty rooms at night).

04 Plug-in or rechargeable

Home edition runs from the mains; the charging edition has a 1,800 mAh battery for garages, sheds and power cuts. Exclusive mould, custom colours available.

TECHNICAL DATA

Power	≤5 W
Coverage	≈120 m²
Battery (charging ed.)	1,800 mAh · 3–4 h charge
Runtime (charging ed.)	≈40 h strobe off · ≈18 h strobe on
Size	108 × 108 × 78 mm

ORDERING

Editions	Plug-in · Rechargeable
Colours	White · Blue/black · Red/black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval


CE FCC RoHS

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-044

Compact Car Rodent Repeller

A small, light unit for tight engine bays, with engine start-stop recognition.



3
power options

18–36
kHz ultrasound

110
dB sound pressure

83
g bare weight

01 Three-in-one power supply

Runs on 4 × AA batteries, the vehicle battery or a USB cable, with very low power consumption.

02 Engine start-stop recognition

Goes to standby when the engine starts and returns to work when the car is parked.

03 Sound plus flashing lights

18–36 kHz ultrasound with flashing lights makes the engine bay an uncomfortable place to nest.

04 Compact and heat-resistant

65 × 33 × 103 mm and 83 g in flame-retardant ABS, rated −25 to +65 °C.

TECHNICAL DATA

Frequency	18–36 kHz
Sound pressure	110 dB
Input	DC 5–12 V
Power supply	4 × AA · vehicle battery · USB
Operating temp.	−25 to +65 °C
Size / weight	65 × 33 × 103 mm · 83 g (167 g packed)

ORDERING

Colour	Black
Retail box	115 × 44 × 116 mm
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE RoHS

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-043

Car Rodent Repeller, Ultrasonic + LED

A larger car unit with a vibration sensor and a full in-the-box installation kit.



4
flashing LEDs

110
dB sound pressure

≈3
months on 4 × AA

–25…65
°C rated

01 Works while parked, pauses while you drive

A built-in vibration sensor puts it on standby when the engine starts. Once parked it cycles 10 s on, 100 s standby.

02 Sound and light together

Pulsed 18–36 kHz ultrasound plus 2 red and 2 white LEDs that flash in the dark.

03 Three ways to power it

4 × AA batteries (typically around 3 months), a vehicle battery cable or a USB cable.

04 Complete installation kit

Flame-retardant ABS housing. In the box: vehicle power cable, DC-to-USB cable and 4 cable ties.

TECHNICAL DATA

Frequency	18–36 kHz
Sound pressure	110 dB
Input	DC 5–12 V · 14 ± 2 mA
Working cycle	10 s on / 100 s standby
Operating temp.	–25 to +65 °C
Size	130 × 75 × 35 mm, not waterproof

ORDERING

Colour	Black
In the box	Vehicle cable · USB cable · 4 ties
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC)

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-041

High-Power 360° Rodent Repeller

The range's highest-output unit, for warehouses, barns, garages and loading areas.



360°
floor-standing

≈300
m² open space

125
dB max output

9
LED strobes

01 360° from one unit

Placed on the floor with 1 m clear around it, it covers up to about 300 m² of open space.

02 Four working modes

TEST (audible check), ULTRA 22–35 kHz variable, TRANS 25 kHz, and DUO combining both.

03 Strobe that knows it is dark

9 LED strobes with a light sensor flash only at night.

04 High output, low draw

100–125 dB from dual speakers on a DC 9 V adapter, drawing under 2.25 W.

TECHNICAL DATA

Frequency	ULTRA 22–35 kHz · TRANS 25 kHz
Sound pressure	100–125 dB
Coverage	Up to ≈300 m², open space
Power	Adapter AC 100–240 V → DC 9 V · <2.25 W
Placement	On the floor, ≥1 m clear around

ORDERING

Plugs (adapter)	US / EU / UK
Colours	White · Black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC) FCC SDoC RoHS

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-053

5-Mode Dual-Speaker Repeller

One unit with a dedicated mode for each situation, from family homes to empty warehouses.



5
colour-coded modes

2
speakers

2
strobe LEDs

120
m² per room

01 A mode for every room

Rodent 32–65 kHz, Mosquito 38–44 kHz, Pet 23–27 kHz, Turbo sweep with audible warning for empty rooms, and Night (strobe only).

02 Two speakers, working together

A rodent speaker and an ultrasonic speaker run at the same time for wider coverage.

03 Strobe on demand

Two strobe LEDs: Mode 5 runs the strobe alone; in Modes 1–4 hold the button 3 s to add it.

04 Eye-catching level display

The rainbow level bar and coloured mode icons make the panel easy to read and stand out on shelf.

TECHNICAL DATA

Input	AC 90–220 V, 50/60 Hz · 5 W
Frequency	23–65 kHz ultrasonic; warning sound in Turbo
Coverage	Up to 120 m² per room
Installation	20–80 cm above the floor
Size / weight	98 × 70 × 46 mm · ≈75 g
Operating temp.	−10 to 40 °C

ORDERING

Plugs	US / EU / UK
Colours	Black · White
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC) | FCC SDoC | EPA Est. 97987-CHN-1

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-A08

Compact Plug-in Repeller

The classic egg shape end users recognise, with four plug types including Australia.



4
plug types incl. AU

28
m² per room

22–65
kHz output

3–5
W, runs 24/7

01 The format buyers know

A clean egg-shaped plug-in in white or black with a soft blue edge light, ideal for 4- and 6-packs.

02 Wide ultrasonic band

22–65 kHz, above the range most adults can hear. No sprays, chemicals or odour.

03 Low power, always on

3–5 W, made to run around the clock in homes, offices, shops and garages.

04 Four plug types

US, EU, UK and AU versions, the only model in the range with an Australian plug.

TECHNICAL DATA

Frequency	22–65 kHz
Coverage	≈28 m² (300 sq ft) per room
Input	AC 110–240 V, 50/60 Hz
Power	3–5 W
Installation	30–50 cm above the floor

ORDERING

Plugs	US / EU / UK / AU
Colours	White · Black
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (LVD) FCC Part 15B (SDoC)

01 · HOME GUARD · ULTRASONIC PEST & RODENT REPELLERS

SDH-042

Solar Animal Repeller, PIR + Strobe

An outdoor, solar-charged repeller for gardens, yards and farms. No wiring needed.



Solar
self-charging

8
m PIR range, 110°

IPX4
splash-proof

≈7
days per full charge

01 Charged by the sun

A full 1,200 mAh battery lasts about 7 days at 10 triggers a day, so there is no wiring and no batteries to change.

02 Motion-triggered

A 110° infrared sensor detects animals up to 8 m away and triggers 15 s of output, repeating until they leave.

03 Different by day and night

Daytime: 20–60 kHz variable ultrasound. At night a red warning light and a white LED strobe join in.

04 Built for outdoors

IPX4 splash-proof housing on a ground stake, for deer, foxes, raccoons, stray cats and dogs.

TECHNICAL DATA

Frequency	20–60 kHz variable
Detection	PIR, 110° horizontal, up to 8 m
Solar panel / battery	5.5 V 0.11 W amorphous · 1,200 mAh
Water resistance	IPX4
Size	15 × 11 × 40 cm

ORDERING

Retail box	15 × 9 × 11 cm · 0.325 kg
Carton	48 units · 48 × 37 × 48 cm · 17 kg
Availability	In stock, no MOQ
Your logo + manual	From 500 units
Colour + retail box	From 2,000 units
Lead time	≈12 days after approval

CE (EMC) EPA Est. 97987-CHN-1

02

Personal Comfort

Rechargeable hand warmers & heated eye masks

Seasonal best-sellers for gift, outdoor and wellness retail. Every model is made to order with your logo, colours and gift box. UL, CE, FCC and UKCA reports are available on selected hand warmers.

Availability	**Made to order**
MOQ	**From 1,000 units**
Your brand	**Logo, colour and gift box**
Lead time	**≈20 days**









RANGE OVERVIEW

MODEL	TYPE	POWER	HEAT	RUNTIME	MOQ	PAGE
HW6	Split magnetic	5,000 mAh	45–55 °C	3–5 h	1,500	18
HW7	Rugby, magnetic	2,500 mAh	45–55 °C	1–3 h / half	1,500	19
HW8	Custom shape	2,500 mAh	45–55 °C	1–3 h / half	2,000	20
E28	Fabric, USB	USB 5 V	30–50 °C	Timer 15–60 min	1,000	21
OP10	Moulded, cordless	600 mAh	38–45 °C	15 min × 6–8	1,000	22

02 · PERSONAL COMFORT · RECHARGEABLE HAND WARMERS & HEATED EYE MASKS

HW6

Split Magnetic Hand Warmer & Power Bank

A premium aluminium hand warmer that splits in two and doubles as a power bank.



5,000
mAh battery

3
heat levels, to 55 °C

3–5
h heating

UL
499 · 2056 reports

01 Two warmers in one

Two magnetic halves: one for each hand, or snapped together as one unit.

02 Also a power bank

USB-A output at 5 V/2 A charges a phone; USB-C input at 5 V/2 A recharges it.

03 Precise heat control

45, 50 and 55 °C (±2 °C) controlled by a 10K NTC sensor, for 3–5 hours of heat.

04 Ready for US retail

UL 499 and UL 2056 reports plus CE and FCC, in an aluminium shell with four colour options.

TECHNICAL DATA

Battery	5,000 mAh (18.5 Wh)
Heat levels	45 / 50 / 55 °C ±2 °C
Heating time	3–5 h
Input / output	USB-C in 5 V/2 A · USB-A out 5 V/2 A
Size (each half)	110 × 35.5 × 30 mm
Material	Aluminium alloy + ABS

ORDERING

Colours	Black · Silver · Green · Olive
Packing	Colour box with blister
Availability	Made to order
MOQ	1,500 units
Your brand	Logo, colour and gift box
Lead time	≈20 days

CE (EMC) | FCC Part 15B | UL 499 | UL 2056

02 · PERSONAL COMFORT · RECHARGEABLE HAND WARMERS & HEATED EYE MASKS

HW7

Rugby Magnetic Rechargeable Hand Warmer

A rugby-ball shape that splits into two warmers, for sports, outdoor and gift retail.



2
magnetic halves

55
°C max, 3 levels

USB-C
charge and use

190
g

01 A shape fans recognise

The rugby-ball design is a natural gift for sports fans, team shops and outdoor stores.

02 Split it, share it

Two magnetic halves give about 1–3 hours of heat each, one for each hand or one for a friend.

03 Charge while you use it

USB-C 5 V/1 A input with pass-through, so it keeps warming while charging.

04 Documents for EU, UK and US

CE, FCC Part 15B and UKCA reports available.

TECHNICAL DATA

Battery	2,500 mAh (9.25 Wh), 18650
Heat levels	45 / 50 / 55 °C ±2 °C
Runtime	≈1–3 h per half
Input	USB-C 5 V/1 A · 10 W
Size / weight	100 × 61 × 30 mm · 190 g
Material	ABS + aluminium alloy

ORDERING

Colours	Black · Brown
Availability	Made to order
MOQ	1,500 units
Your brand	Logo, colour and gift box
Lead time	≈20 days


CE (EMC) | FCC Part 15B | UKCA

02 · PERSONAL COMFORT · RECHARGEABLE HAND WARMERS & HEATED EYE MASKS

HW8

Custom Shape & Print Hand Warmer

Your own shape, colour and artwork around our proven HW7 heating core.



Any
shape, colour, print

2,000
units per design

55
°C max, 3 levels

≈20
days production

01 Designed around your brand
Custom shell shape, colour and printed artwork. Avocado and roasted sweet potato designs are shown as examples.

02 Proven heating core
The same 2,500 mAh battery and 45/50/55 °C control board as HW7, so performance is known before you start.

03 Accessories that sell
Plush covers and hanging clips are available to turn it into a gift or bag charm.

04 Your artwork only
We print designs you own or are licensed to use.

TECHNICAL DATA

Heating core	As HW7 · 2,500 mAh
Heat levels	45 / 50 / 55 °C
Customization	Shape · colour · printed artwork
Accessories	Plush cover · hanging clip (optional)

ORDERING

Artwork	Customer-owned or licensed
Availability	Made to order
MOQ	2,000 per design per colour
Your brand	Logo, colour and gift box
Lead time	≈20 days

02 · PERSONAL COMFORT · RECHARGEABLE HAND WARMERS & HEATED EYE MASKS

E28

USB Heated Eye Mask with Timer

A soft fabric eye mask that runs from any USB port, for desk, sofa and travel.



3
heat levels

4
timer settings

USB
5 V powered

115
g

01 Plug into any USB port
Runs from a power bank, laptop or wall adapter. Use it at the desk, on the sofa or in bed.

02 Heat and timer on the cable
Inline controller with 30, 40 and 50 °C and 15, 30, 45 or 60 minute timer.

03 Soft layered build
Multi-layer fabric construction with an adjustable strap for a comfortable fit.

04 Four colours, retail-ready
Purple, blue, light blue and pink, each in a 23.5 × 9 × 3 cm colour box.

TECHNICAL DATA

Heat levels	30 / 40 / 50 °C
Timer	15 / 30 / 45 / 60 min
Input	USB 5 V, 1–2 A
Size / weight	21.5 × 7 × 1.8 cm · 115 g (220 g boxed)

Comfort product, not a medical device.

ORDERING

Colours	Purple · Blue · Light blue · Pink
Carton	50 boxes · 47 × 26 × 37 cm · 12 kg
Availability	Made to order
MOQ	1,000 units
Your brand	Logo, colour and gift box
Lead time	≈20 days

CE (EMC)

02 · PERSONAL COMFORT · RECHARGEABLE HAND WARMERS & HEATED EYE MASKS

OP10

Cordless Heated Eye Mask

A cordless, rechargeable eye mask with a moulded shell, for travel and bedtime.



Cordless
600 mAh battery

3
heat levels

6–8
sessions per charge

15
min auto-off

01 No cable while you use it
A built-in 600 mAh battery charges by USB-C in about 2 hours.

02 Three gentle heat levels
38, 42 and 45 °C with automatic shut-off after 15 minutes.

03 Lasts several sessions
One full charge gives 6–8 sessions.

04 For desk, study, bedtime, travel
Light at about 130 g, in a 202 × 88 × 114 mm gift package.

TECHNICAL DATA

Heat levels	38 / 42 / 45 °C
Battery	600 mAh · 6–8 sessions per charge
Charging	USB-C 5 V · ≈2 h
Auto-off	15 min
Size / weight	182 × 80 × 73 mm · ≈130 g

Comfort product, not a medical device.

ORDERING

Package	202 × 88 × 114 mm
Availability	Made to order
MOQ	1,000 with logo · 2,000 with colour & box
Your brand	Logo, colour and gift box
Lead time	≈12 days

03

Wearable Comfort

Cordless heated belts

Rechargeable heated waist belts with heat and vibration settings, packed in a gift box for retail. Small quantities ship from stock; branded versions are made to order.

Availability	**Small qty in stock**
Your logo	**From 1,000 units**
Colour + gift box	**From 2,000 units**
Lead time	**≈12 days**



RANGE OVERVIEW

MODEL	TYPE	POWER	HEAT	RUNTIME	MOQ	PAGE
OP7	Waist belt	2,500 mAh	40–59 °C	1–3 h	1,000	24

03 · WEARABLE COMFORT · CORDLESS HEATED BELTS

OP7

Cordless Heated Waist Belt with Vibration

A rechargeable heated belt with vibration, packed as a ready-to-sell gift.



5
heat levels, 40–59 °C

5
vibration modes

2,500
mAh battery

45
min auto timer

01 Heat and vibration together
Five heat levels from 40 to 59 °C and five vibration modes, set from the buttons on the belt.

02 Cordless comfort
A 2,500 mAh battery gives 1–3 hours of use and recharges by USB-C in about 3.5 hours.

03 Safe by default
A 45-minute timer switches it off automatically.

04 Ready to sell
Pink or white, in a gift box with a USB-A to USB-C cable.

TECHNICAL DATA

Battery	2,500 mAh · 1–3 h runtime
Heat levels	5 levels, 40–59 °C
Vibration	5 modes
Charging	USB-C 5 V/1 A · ≈3.5 h
Size	192 × 92 × 31 mm

ORDERING

Colours	Pink · White
Carton	24 units · 48 × 38 × 28 cm
Availability	Small qty in stock
Your logo	From 1,000 units
Colour + gift box	From 2,000 units
Lead time	≈12 days

CE FCC RoHS 2.0

QUALITY & CERTIFICATIONS

Tested on our line, documented for your market.

01

Boards by model

Control boards for each order are prepared and grouped by model, so the line never mixes parts from two products.

02

24-hour burn-in

The first production batch of every new repeller model runs a 24-hour aging test before release.

03

Batch sampling

Repeat repeller orders are sample-tested every batch before packing.

04

100% capacity test

Every hand warmer is tested for charge and discharge capacity. Heated belts are checked for heat and button function.

CERTIFICATIONS BY MODEL

MODEL	CE	FCC	ROHS	UKCA	UL 499	UL 2056	EPA
HOME GUARD							
SDH-058	●	●					●
SDH-057	●	●					
SDH-047	●	●	●				●
SDH-046	●		●				
SDH-045	●		●				
SDH-051	●	●	●				
SDH-044	●		●				
SDH-043	●						
SDH-041	●	●	●				
SDH-053	●	●					●
SDH-A08	●	●					
SDH-042	●						●
PERSONAL COMFORT							
HW6	●	●			●	●	
HW7	●	●		●			
HW8							
E28	●						
OP10							
WEARABLE COMFORT							
OP7	●	●	●				

EPA = produced in an EPA-registered establishment, Est. No. 97987-CHN-1. Test reports and certificates are available on request for each model; tell us your target market and we will confirm which documents apply.

OEM & PRIVATE LABEL

Start from stock.
Grow into your own brand.

LEVEL 1

From stock

Neutral packaging and an English manual. The fastest way to test a market.

No MOQ on stock repellers

LEVEL 2

Your logo + manual

Your logo printed on the product and your own instruction manual, with our standard housing and box.

From 500 units per repeller model

LEVEL 3

Full private label

Housing colour, printed retail box, barcodes and multi-packs designed around your range.

From 2,000 units per model



WHAT WE CAN CUSTOMIZE

Logo on product	Silk screen, pad print, colour print or laser
Housing colour	Repellers, hand warmers
Retail box	Single, 2-, 4-, 6-pack
Instruction manual	Your languages
Barcode & labels	EAN / UPC, carton marks
Plug type	US / EU / UK / AU
Shape & print	HW8 custom hand warmer

01
Enquiry
Models, quantity, plug type and target market.

02
Quotation
Price, packing data and the documents for your market.

03
Sample
Stock sample or branded pre-production sample.

04
Production
≈12 days for repellers and belts, ≈20 days for hand warmers.

05
Shipment
Tested, packed and handed to your forwarder or ours.

Minimum quantities differ by product line and are shown on each product page. Specifications and packing data may change; please confirm with us before ordering.

ERADREAM

Ask for a quote, samples or documents.

Send us the model numbers, quantity and target market. We reply with prices, packing data and the test reports for your market.

WEBSITE	livinghse.com
EMAIL	hello@livinghse.com
WHATSAPP	+86 136 2096 0389
LOCATION	Shenzhen, Guangdong, China